

Fujitsu recommends Windows.

Data Sheet

FUJITSU Tablet LIFEBOOK T725

Transform Business Productivity

The FUJITSU Tablet LIFEBOOK T725 is a 2 in 1 comprising the best of a notebook and a tablet, delivering what professionals in enterprises, finance and government expect. Its 31.8 cm (12.5-inch) anti-glare IPS display supports variable input with pen or touch. Latest 4G/LTE ensures you are connected wherever you need it. The LIFEBOOK T725 shares the port replicator and modular bay options with the LIFEBOOK E7 Series, supporting shared desk environments. Superior security features like TPM, fingerprint sensor or SmartCard reader ensure data safety.



Part of the Family

Implement shared desks while extending the choice of form factors

- 2 in 1 that shares port replicator, family design and modular bay accessories with corporate LIFEBOOK E7 Series

Ultimate convenience and expandability

Increase your productivity and adapt the notebook to your particular way of working

- Full-size VGA and HDMI, modular bay for an optional second battery providing 100 Whr battery capacity, second hard disk drive or a weight saver



Maximum connectivity

Wireless connectivity anytime anywhere, even if there is no hotspot nearby

- Optional embedded 4G/LTE or 3G/UMTS (incl. GPS), WLAN and Bluetooth

Full security

Protect your most valuable capital - your data

- Fingerprint sensor, optional SmartCard reader, Advanced Theft Protection (ATP), Trusted Platform Module and OPAL disk encryption



Reliable companion

Efficient and ergonomic working in every situation, even for the most demanding of users

- WideView anti-glare IPS display for indoor/outdoor use, hard disk drive shock sensor, port replicator option



Components

Processor	Intel® Core™ i5-5200U processor (2.2 GHz, up to 2.7 GHz, 3 MB) * Intel® Core™ i3-5010U processor (2.1 GHz, 3 MB) * Intel® Core™ i7-5600U processor (2.6 GHz, up to 3.2 GHz, 4 MB) Intel® Core™ i5-5300U processor (2.3 GHz, up to 2.9 GHz, 3 MB) *Processor only for retail, SMB, education and government
Operating systems	
Operating system	Windows 8.1 64-bit Windows 8.1 64-bit Windows 7 Professional 64-bit
Memory modules	4 GB (1 module(s) 4 GB) DDR3, 1,600 MHz, PC3-12800, SO DIMM 8 GB (1 module(s) 8 GB) DDR3, 1,600 MHz, PC3-12800, SO DIMM
Hard disk drives (internal)	SSHD, 500 GB / 8 GB SSD Cache, 2.5-inch, S.M.A.R.T. SSHD, 500 GB / 8 GB SSD Cache, 2.5-inch, OPAL capable SSHD, 320 GB / 8 GB SSD Cache, 2.5-inch, S.M.A.R.T. SSD SATA III, 256 GB, 2.5-inch SSD SATA III, 128 GB, 2.5-inch, OPAL capable SATA, 5,400 rpm, 500 GB, 2.5-inch, S.M.A.R.T. SATA, 5,400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.
Hard disk notes	ShockSensor for HDD shock protection One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software. Up to 20 GB of HDD space is reserved for system recovery Internal HDD interface: S-ATA III (6GBit/s)
Modular bay options	2nd battery DVD Super Multi Weight saver
Interface add on cards/components (optional)	
3G/4G (optional)	UMTS Sierra Wireless EM8805 (Downlink speed 42 Mbit/s, Uplink speed 5.76 Mbit/s) LTE Sierra Wireless EM7305 (Downlink speed up to 100 Mbit/s, Uplink speed up to 50 Mbit/s)
WLAN (optional)	Intel® Wireless-N 7265 2x2 b/g/n with integrated Bluetooth 4.0 Import and usage according to country-specific regulations. Intel® Dual Band Wireless-N 7265 2x2 ac with integrated Bluetooth 4.0 Import and usage according to country-specific regulations.
Display	31.8 cm (12.5-inch), LED backlight, (HD), Anti-glare touchscreen, magnesium, 1,366 x 768 pixel, 500:1, 300 cd/m ²
Multimedia	
Camera	Optional: Built-in webcam, 2.0 megapixel
Camera notes	Full HD (1080p) with LED

Base unit

Base unit	LIFEBOOK T725
------------------	---------------

General software information

Chipset	Integrated in CPU
----------------	-------------------

General software information

Chipset notes	Supports iAMT 10.0 Intel® vPro™ requires Core i5-53xx & i7-56xx CPU, Intel WLAN 7265 ac, TPM module
Memory slots	1 SO DIMM (DDR3, 1600 MHz)
Supported capacity RAM (min.)	4 GB
Supported capacity RAM (max.)	12 GB
Memory notes	4 GB onboard, 1 DIMM slot with max. 8 GB
LAN	Built-in 10/100/1,000 MBit/s Intel® 218LM
Integrated WLAN	Intel Stone Peak 11ac or Intel Stone Peak 11bgn
BIOS features	BIOS based on Phoenix SecureCore
Audio type	On board
Audio codec	Realtek ALC282
Audio features	2x built-in speakers (stereo), 2x internal microphones

Display

Display	31.8 cm (12.5-inch), IPS dual digitizer, (HD), Anti-glare display, 1,366 x 768 pixel, min. 500:1, 300 cd/m ²
Display notes	Wide-view high-bright LED display (for enhanced outdoor viewing). Integrated ambient light sensor for automatic backlight adjustment to the working environment.
Sensors	3-axis Accelerometer Compass Gyroscope Ambient Light Sensor
Aspect ratio	16:9
Brightness - typical	300 cd/m ²
Contrast - typical	min. 500:1
Digitizer / Touch Technology	Dual Digitizer for pen input plus capacitive 10-finger multi-touch screen
Ambient light sensor	Integrated
Ambient light sensor notes	While enabled, the ambient light sensor automatically adjusts the display backlight

Graphics

Base unit	LIFEBOOK T725
TFT resolution (HDMI)	1,920 x 1,200 pixel
TFT resolution (VGA)	1,920 x 1,200 pixel
TFT resolution (DVI on Port Replicator)	1,920 x 1,200 pixel
TFT resolution (DisplayPort on Port Replicator)	2,560 x 1,600 pixel
Graphics brand name	Intel® HD Graphics 5500
Graphics features	3 Display Support (2 external, 1 internal)
Graphics notes	Shared memory depending on main memory size and operating system

Interfaces

DC-in	1
Audio: line-out / headphone	1 (combo port with Audio line-in)
Audio: line-in / microphone	1 (combo port with Audio line-out)
Internal microphones	2 (digital)
USB 3.0 total	3 (1 with Anytime USB Charge functionality)
VGA	1
HDMI	1
Ethernet (RJ-45)	1
Memory card slots	1 (SD up to 2GB, SDHC up to 32GB, SDXC up to 128GB)
SmartCard slot	1 (optional)
SIM card slot	1 (only for models with integrated 3G/UMTS or 4G/LTE module)

Port Replicator interfaces (optional)

DC-in	1 (19V)
Power on switch	1
USB 3.0 total	4

Port Replicator interfaces (optional)

DisplayPort	1 (up to 2560 x 1600) (not usable in parallel with DVI) In case both are connected DisplayPort has higher priority.
VGA	1
DVI	1 (up to 1920 x 1200) (not usable in parallel with DisplayPort)
Ethernet (RJ-45)	1 (10/100/1000)
Kensington Lock support	2 (Port Rep only)
Notes	Port replicator supports 0-Watt functionality (made4you). Display port is shared with DVI - exclusive usage

Keyboard and pointing devices

Backlit isolation keyboard
 Number of keyboard keys: 85, Keyboard pitch: 19 mm, Keyboard stroke: 1.7 mm
 Multi gesture touchpad with two mouse buttons
 Fingerprint sensor
 Tablet Pen, stored in pen garage
 Touch-screen
 Windows Button

Wireless technologies

Antennas	2 x Dual Band WLAN, 2 x UMTS, 1 x Bluetooth, 1 x GPS for dedicated module
Bluetooth	Bluetooth 4.0 LE
Integrated WLAN	Intel Stone Peak 11ac or Intel Stone Peak 11bgn
WLAN encryption	WEP, WPA, WPA2
WLAN notes	Import and usage according to country-specific regulations.
LTE/UMTS/GPS notes	Including GPS functionality Import and usage according to country-specific regulations.

Power supply

AC Adapter	19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) slim and light AC-Adapter 19 V / 80 W (4.22 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) 0-Watt AC Adapter technology 19 V / 90 W (4.74 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) AC-Adapter 19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, (slim and light) AC-Adapter
Notes	65W AC Adapter for usage with system/ min. 80W AC Adapter for usage with Port Replicator
Rated voltage range	100 V - 240 V (AC Input)
Rated frequency range	50 Hz - 60 Hz
1st battery	Li-Ion battery 6-cell, 72 Wh / 6400 mAh, 72 Wh
2nd battery (optional)	Li-Ion battery 6-cell, 2,600, mAh, 28 Wh
Runtime 1st battery	up to 10.6 h (tbc)
Runtime 1st + 2nd battery	up to 14.3 h (tbc)
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCO Mobile Mark 2007 Benchmark (readers mode e.g. surfing the internet, writing E-mails, viewing documents) which provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity slightly decreases with every charging cycle and over the lifetime.

Dimensions / Weight / Environmental

Dimensions (W x D x H)	316 mm (12.44 inch) x 233 mm 9.17 inch) x 25.4 mm (1 inch) to 31.3 mm (1.23 inch)
Weight	from 1.81 kg (3.66 lb)
Weight notes	Incl. weight saver. Weight may vary depending on actual configuration.
Operating ambient temperature	Running: 5 - 35 °C; Packed -15 - 60 °C
Operating relative humidity	Running: 20 - 85%; Packed 8 - 85% (relative humidity, non-condensing)

Compliance

Product	LIFEBOOK T725
Germany	GS
Europe	CE! EN 60950

Compliance

Global	ENERGY STAR® 6.0 in progress IT-Eco-Declaration RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment)
Russia	GOST
Compliance link	http://globalsp.ts.fujitsu.com/sites/certificates

Additional Software

Security software	Fujitsu Security Application Panel Absolute Computrace® Mobile ready McAfee Internet Security and Antivirus Software (60 days trial version)
Additional software (preinstalled)	Adobe® Reader® (pdf reader) McAfee Multi Access Security (anti-virus and internet security software; 60 days trial version) Fujitsu LIFEBOOK Application Panel Fujitsu Display Manager ShockSensor Utility Power Saving Utility Fujitsu Plugfree Network (network management utility) EasyGuide online user documentation Win8.1: Microsoft Push Button Recovery (hard disk based recovery) Win7: Fujitsu Recovery (hard disk based recovery) Microsoft Office (buy license to activate the pre-installed Microsoft Office)
Additional software (optional)	Drivers & Utilities DVD (DUDVD) Connection manager (optional with 4G/LTE or 3G/UMTS) CyberLink Power2Go DVD (playback software for DVD) CyberLink YouCam (webcam software) Recovery DVD for Windows®

Manageability

Manageability technology	DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) Intel® vPro™ technology WoL (Wake on LAN) iAMT 10.0 (depending on CPU)
Manageability software	DeskView Client DeskView Instant BIOS Management DeskView Integration for Symantec Management Platform
DeskView components	Inventory Management BIOS Management Driver Management Security Management Alarm Management
Supported standards	WMI PXE BootP (made4you)
Manageability link	http://www.fujitsu.com/fts/solutions/business-technology/manageability/feature-finder.html

Security

Physical Security	Kensington Lock support
System and BIOS Security	Computrace® ready BIOS Advanced Theft Protection (Computrace® only) Optional: Trusted platform module (TPM 1.2) EraseDisk (optional)
User Security	Hard disk password User and supervisor BIOS password Embedded fingerprint sensor (optional) Workplace Protect (secure authentication solution) Smartcard reader (integrated) SystemLock BIOS SmartCard security

Warranty

Warranty period	2 years (depending on country)
Warranty type	Collect & Return Service / Bring-in Service (for countries within region FTS CEMEA&I, for all other countries depending on local regulations)
Warranty Terms & Conditions	http://support.ts.fujitsu.com/warranty
Product Support Services - the perfect extension	
Recommended Service	9x5, Onsite Response Time: Next Business Day
Spare Parts availability	5 years after end of product life
Service Weblink	http://ts.fujitsu.com/Supportservice

Recommended Accessories

Port Replicator for LIFEBOOK (U745, T725, E7X6, E7X4, E7X3, E5X6, E5X4) and CELSIUS H730



Flexibility, expandability, desktop replacement, investment protection – to name just a few benefits of Fujitsu's docking options.

Order Code:
S26391-F1337-L100

AC Adapter LIFEBOOK or STYLISTIC



Power your notebook at work, at home or on the road with a second power source. You can easily recharge your notebook everywhere. Depending on your notebook you can choose from various AC Adapters ranging from a slim stick type adapter to standard adapters, or even the innovative 0-Watt AC Adapter.

Order Code:
S26391-F1337-L109

Order Code:
S26391-F1106-L500

Second Battery for Modular Bay



Modern business demands that busy professionals be ready to meet customers, make presentations, and work wherever is necessary to get the job done. With a Second Battery for your Fujitsu LIFEBOOK you will be more flexible than ever. Installation is effortless. Just slide the Second Battery into your Fujitsu LIFEBOOK's modular bay.

Order Code:
S26391-F1314-L500

Prestige Pro Backpack 14



The Fujitsu Prestige Pro Backpack 14 protects your belongings with a touch of luxury. It features a roomy main compartment with a padded notebook slot 35.6 cm (14-inch) and pockets with separate areas for smaller items to keep you organized. Real leather straps keep you comfortable on the go, while making a great impression.

Order Code:
S26391-F1191-L82

Wireless Mouse Touch WI910



The Fujitsu Wireless Mouse Touch WI910 has a special touch sensitive surface that recognizes when your hand touches the mouse even before you move it. This provides nearly instantaneous wake-up from the intelligent energy saving sleep mode. Unbeatable responsiveness combines with features like switchable resolution, and three programmable buttons for a unique user experience.

Order Code:
S26381-K465-L100

UC&C USB Value Headset



The FUJITSU UC&C USB Value Headset is a lightweight bi-aural full-size stereo headset with high wearing comfort. This Lync-tested USB-Headset has an appropriate Inline-Controller which supports easy call management. A noise cancelling microphone facilitates undisturbing clear phone calls.

Order Code:
S26391-F7139-L20

Wireless Keyboard Set LX901



The Wireless Keyboard LX901 is a top of the line desktop solution for lifestyle orientated customers, who want only the best for their desk. This superb keyboard set offers ambitious users more functions, security and better features than a conventional interface device. It even includes 2.4 GHz technology and 128 AES encryption for security.

S26381-K565-L4** (**:
Country specific variation)

More information

Fujitsu OPTIMIZATION Services

In addition to FUJITSU Tablet LIFEBOOK T725, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products

www.fujitsu.com/global/products/computing/

Software

www.fujitsu.com/software/

More information

Learn more about FUJITSU Tablet LIFEBOOK T725, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.
www.fujitsu.com/fts/tabletpc

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at <http://www.fujitsu.com/global/about/environment>



Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see www.fujitsu.com/terms
© 2015 Fujitsu Technology Solutions GmbH

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

CONTACT

Fujitsu Technology Solutions GmbH
Website: www.fujitsu.com/fts
2015-10-06 CE-EN

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see www.fujitsu.com/terms
© 2015 Fujitsu Technology Solutions GmbH